

Фонд оценочных средств для проведения текущего контроля и промежуточной аттестации обучающихся по дисциплине

Б1.О.14 Иностранный язык Обязательная часть

Специальность 31.05.03 Стоматология квалификация: врач-стоматолог Форма обучения: очная Срок обучения: 5 лет

Фонд оценочных средств по дисциплине рассмотрен и одобрен на заседании Ученого совета института (протокол № 3 от 02.06.2025 г.) и утвержден приказом ректора № 49 от 02.06.2025 г.

Спецификация фонда оценочных средств

1. Назначение фонда оценочных средств.

Фонд оценочных средств по специальности 31.05.03 Стоматология (уровень специалитета) составлен для проведения текущего контроля и промежуточной аттестации обучающихся по дисциплине (модулю) «Иностранный язык».

2. Нормативное основание отбора содержания:

- Федеральный государственный образовательный стандарт высшего образования специалитет по специальности 31.05.03. Стоматология, утвержденный Приказом Министерства науки и высшего образования Российской Федерации от 12 августа 2020 г. № 984.
- Профессиональный стандарт «Врач-стоматолог», утвержденный приказом Министерства труда и социальной защиты Российской Федерации от 10 мая 2016 г. № 227н (зарегистрирован Министерством юстиции Российской Федерации 2 июня 2016 г., регистрационный N 42399).
 - Общая характеристика основной образовательной программы.
 - Учебный план основной образовательной программы.
 - Устав и локальные акты Института.
 - Рабочая программа Б1.О.14 Иностранный язык.

1. Распределение тестовых заданий по компетенциям

Код	Наименование	Наименование	Семестр	Номер
компетенции	компетенции	индикатора		тестового
		сформированности		задания
		компетенции		
УК-4	Способен применять	ИУК-4.1. Способен	1	1-10
	современные	устанавливать и		
	коммуникативные	развивать		
	технологии, в том числе	профессиональные		
	на иностранном(ых)	контакты, включая обмен		
	языке(ах), для	информацией,		
	академического и	результатами		
	профессионального	профессиональной		
	взаимодействия	деятельности, а том числе		
		на иностранном языке		

2. Распределение заданий по типам и уровню сложности

Базовый	Воспроизведение			
	Терминология, факты, параметры, теории, принципы			
	Задания с выбором ответа. Комбинированные задания			
Повышенный	Применение знаний и умений для расчета показателей в экономике			
	Решение типовых задач с использованием экономических методов			
	Комбинированные задания. Задания с развернутым ответом			
Высокий	Применение знаний в нестандартной ситуации			
	Решение нетиповых задач, алгоритмы, доказательства, обоснования			
	Задания на установление последовательности и соответствие. Задания с			
	развернутым ответом			

Код	Индикатор	Номер	Тип задания	Уровень	Время
компетен	сформирован	задания		сложности	выполнения
ции	ности			задания	(мин.)
	компетенции				
УК-4.	ИУК-4.1.	1	Тестовое задание	высокий	5-10 мин.
	Способен		закрытого типа на		
	устанавливать		установление		
	и развивать		соответствия		
	профессионал	2	Тестовое задание	высокий	5-10 мин.
	ьные		закрытого типа на		
	контакты,		установление		
	включая		соответствия		
	обмен	3	Тестовое задание	высокий	5-10 мин.
	информацией		закрытого типа на		
	и выработку		установление		
	стратегии		соответствия		
	взаимодейств	4	Тестовое задание	высокий	5-10 мин.
	ия		закрытого типа на		
			установление		
			соответствия		

	5	Тестовое	задание	высокий	5-10 мин.
		закрытого	типа на		
		установлен	ие		
		соответств	ЯИ		
	6	Тестовое	задание	высокий	5-10 мин.
		закрытого	типа на		
		установлен	ие		
		соответств	RИ		
	7	Задание с	выбором	повышенный	3 мин
		верного отп	вета		
	8	Задание с	выбором	повышенный	3 мин
		верного отп	вета		
	9	Задание с	выбором	повышенный	3 мин
		верного отп	вета		
	10	Задание с	выбором	повышенный	3 мин
		верного отп	вета		

3. Сценарии выполнения тестовых заданий

Тип задания	Последовательность действий при выполнении задания
Задание закрытого	1. Внимательно прочитать текст задания и понять, что в качестве
типа на установление	ответа ожидаются пары элементов.
соответствия	2. Внимательно прочитать оба списка: список 1 вопросы,
	утверждения, факты, понятия и т.д.; список 2 утверждения, свойства
	объектов и т.д.
	3. Сопоставить элементы списка 1 с элементами списка 2,
	сформировать пары элементов.
	4. Записать попарно буквы и цифры (в зависимости от задания)
	вариантов ответа
Задание закрытого	1. Внимательно прочитать текст задания и понять, что в качестве
типа на установление	ответа ожидается последовательность элементов.
последовательности	2. Внимательно прочитать предложенные варианты ответа.
	3. Построить верную последовательность из предложенных
	элементов.
	4. Записать буквы/цифры (в зависимости от задания) вариантов ответа
	в нужной последовательности без пробелов и
	знаков препинания
Задание	1. Внимательно прочитать текст задания и понять, что в качестве
комбинированного	ответа ожидается только один из предложенных вариантов.
типа с выбором	2. Внимательно прочитать предложенные варианты ответа.
верного ответа и	3. Выбрать верный ответ, наиболее верный.
обоснованием выбора	4. Записать только номер (или букву) выбранного варианта ответа.
из предложенных Задание	5. Записать аргументы, обосновывающие выбор ответа.1. Внимательно прочитать текст задания и понять, что в качестве
комбинированного	ответа ожидается несколько из предложенных вариантов.
типа с выбором	ответа ожидается несколько из предложенных вариантов. 2. Внимательно прочитать предложенные варианты ответа.
нескольких верных	2. Внимательно прочитать предложенные варианты ответа. 3. Выбрать несколько ответов, наиболее верных.
ответов и	 3. Выбрать несколько ответов, наиболее верных. 4. Записать только номера (или буквы) выбранных вариантов ответа.
обоснованием выбора	 Записать только номера (или буквы) выбранных вариантов ответа. Записать аргументы, обосновывающие выбор ответов.
из предложенных	5. Sannears aprymental, occenossisatomne sistem of orseros.
из предложенных	

Задание от	ткрытого	1. Внимательно прочитать текст задания и понять суть вопроса.
типа с разв	вернутым	2.Продумать логику и полноту ответа.
ответом		3. Записать ответ, используя четкие компактные формулировки.
		4.В случае расчетной задачи, записать решение и ответ.

4. Система оценивания выполнения тестовых заданий

Номер	Указания по оцениванию	Результат оценивания (баллы,
задания		полученные за выполнение
		задания/характеристика
		правильности ответа)
1-6	Задание закрытого типа на установление	Полное совпадение с верным
	соответствия считается верным, если	ответом оценивается 1 баллом
	правильно установлены все соответствия	Неверный ответ или его
	(позиции из одного столбца верно	отсутствие 0 баллов
	сопоставлены с позициями другого)	
-	Задание закрытого типа на установление	Полное совпадение с верным
	последовательности считается верным, если	ответом оценивается 1 баллом
	правильно указана вся последовательность	Если допущены ошибки или
	цифр	ответ отсутствует 0 баллов
7-10	Задание с выбором одного верного ответа из	Совпадение с верным ответом
	предложенных	оценивается 1 баллом
		Неверный ответ или его
		отсутствие 0 баллов
-	Задание комбинированного типа с выбором	Полное совпадение с верным
	нескольких вариантов ответа из	ответом оценивается 1 баллом
	предложенных с обоснованием выбора	Если допущены ошибки или
	ответов считается верным, если правильно	ответ отсутствует 0 баллов
	указаны цифры и приведены корректные	
	аргументы, используемые при выборе ответа	
-	Задание открытого типа с развернутым	Полный правильный ответ на
	ответом считается верным, если ответ	задание оценивается 3 баллами
	совпадает с эталонным по содержанию и	Если допущена одна
	полноте	ошибка/неточность/ответ
		правильный, но не полный 1
		балл,
		Если допущено более одной
		ошибки/ответ неправильный/
		ответ отсутствует 0 баллов

Тестовые задания, позволяющее осуществлять оценку компетенции УК-4 (ИУК-4.1), установленной рабочей программой дисциплины (модуля) Б1.О.14 «Иностранный язык» образовательной программы по специальности 31.05.03, Стоматология (уровень специалитета)

ТИПЫ ТЕСТОВЫХ ЗАДАНИЙ:

Тестовые задания закрытого типа на установление соответствия.

Задание №1

Прочитайте текст и установите соответствие приведенного утверждения содержанию текста

Read the text.

Structure and the Functions of the Teeth

A tooth that is visible in your mouth is only a part of the entire tooth. The root of the tooth is completely buried into the jaw bone.

A tooth consists of enamel, dentin, cementum and pulp tissue. The portion of a tooth exposed to the oral cavity is known as the dental crown, and the portion below the dental crown is known as the tooth root. The dental pulp cavity exists in the center of the tooth, through which the dental pulp, called the nerve, runs. In order to receive an impact on the tooth and to absorb and alleviate the force on the jaw, the surface of the tooth root area (cementum) and the alveolar bone are connected by a fibrous tissue called the periodontal ligament. The tooth is supported by the tissue consisting of the alveolar bone, gums and the periodontal ligament.

- Enamel: The hardest bodily tissue covering the surface of the dental crown. It is as hard as crystal (7 on the Mohs scale of mineral hardness).
- Dentin: The tissue that forms the tooth from the dental crown to the tooth root, situated inside the enamel and cementum. It is softer than the enamel. A small tube filled with tissue fluid, called the dentinal tubule, runs inside the dentin.
- Cementum: The tissue covering the surface of the tooth root. It connects the alveolar bone with the tooth by the periodontal ligament. Its hardness is similar to bone.
- Dental pulp: The tissue is called the nerve. Blood vessels and the lymph vessels, as well as nerve fibers, are located in the dental pulp, supplying nutrients to the dentin.
- Periodontal ligament: Tissue consisting mainly of the fibrous tissue that connects the tooth root and the alveolar bone. It prevents force applied to the tooth from being directly imposed on the alveolar bone while chewing food.
- Alveolar bone: The jaw bone supporting the tooth; the tooth is planted into this bone. When a large part of the alveolar bone is destroyed by periodontal disease or other causes, the tooth becomes loose.
- Gingiva: The soft tissue covering the alveolar bone. It is generally called "gum".
- Gingival sulcus: The small space between the tooth and the gums. Even people with healthy teeth usually have a depth of 1 to 2 mm in this space. When this

space deepens due to inflammation, it is called the periodontal pocket or gingival pocket.

The canines are the third permanent teeth from the center of the mouth to the back in the upper and lower jaws. There are a total of 4 canines, two in the upper jaw and two in the lower. They are used to tear food.

The teeth located behind the canines grind food like a mill. In milk teeth, there are two molars, each on the left and right sides of the upper and lower jaws. In permanent teeth, there are two premolars and molars each on the left and right sides of the upper and lower jaws, for a total of 16 molar teeth (20 when counting the wisdom teeth).

With the growth of the body, the jaw grows bigger. As the jaw grows, children's teeth, or "milk teeth" are replaced by adult teeth known as "permanent teeth". When all of a child's permanent teeth have emerged, the chewing force becomes stronger, enabling them to eat various types of food easily. Permanent teeth are very important teeth, which a person uses for the entire course of their life.

Human teeth only transition from milk teeth to permanent teeth once. All of the milk teeth emerge at an age from two to three; however, since the jaw bone continues to grow, the sizes of the teeth and the jaw gradually become imbalanced. When the cells that break down the tissue appear around the roots of the milk teeth, the roots gradually dissolve and are absorbed, becoming shorter in height. When the permanent teeth become large enough, the milk teeth naturally start to fall out. By about age 12, all of the milk teeth are replaced by 28 permanent teeth.

Are these statements true or false?

The root of the tooth is completely buried into the jaw bone.

Ответ:

Задание №2.

Прочитайте текст и установите соответствие приведенного утверждения содержанию текста.

Read the text.

Structure and the Functions of the Teeth

A tooth that is visible in your mouth is only a part of the entire tooth. The root of the tooth is completely buried into the jaw bone.

A tooth consists of enamel, dentin, cementum and pulp tissue. The portion of a tooth exposed to the oral cavity is known as the dental crown, and the portion below the dental crown is known as the tooth root. The dental pulp cavity exists in the center of the tooth, through which the dental pulp, called the nerve, runs. In order to receive an impact on the tooth and to absorb and alleviate the force on the jaw, the surface of the tooth root area (cementum) and the alveolar bone are connected by a fibrous tissue called the periodontal ligament. The tooth is supported by the tissue consisting of the alveolar bone, gums and the periodontal ligament.

• Enamel: The hardest bodily tissue covering the surface of the dental crown. It is as hard as crystal (7 on the Mohs scale of mineral hardness).

- Dentin: The tissue that forms the tooth from the dental crown to the tooth root, situated inside the enamel and cementum. It is softer than the enamel. A small tube filled with tissue fluid, called the dentinal tubule, runs inside the dentin.
- Cementum: The tissue covering the surface of the tooth root. It connects the alveolar bone with the tooth by the periodontal ligament. Its hardness is similar to bone.
- Dental pulp: The tissue is called the nerve. Blood vessels and the lymph vessels, as well as nerve fibers, are located in the dental pulp, supplying nutrients to the dentin.
- Periodontal ligament: Tissue consisting mainly of the fibrous tissue that connects the tooth root and the alveolar bone. It prevents force applied to the tooth from being directly imposed on the alveolar bone while chewing food.
- Alveolar bone: The jaw bone supporting the tooth; the tooth is planted into this bone. When a large part of the alveolar bone is destroyed by periodontal disease or other causes, the tooth becomes loose.
- Gingiva: The soft tissue covering the alveolar bone. It is generally called "gum".
- Gingival sulcus: The small space between the tooth and the gums. Even people with healthy teeth usually have a depth of 1 to 2 mm in this space. When this space deepens due to inflammation, it is called the periodontal pocket or gingival pocket.

The canines are the third permanent teeth from the center of the mouth to the back in the upper and lower jaws. There are a total of 4 canines, two in the upper jaw and two in the lower. They are used to tear food.

The teeth located behind the canines grind food like a mill. In milk teeth, there are two molars, each on the left and right sides of the upper and lower jaws. In permanent teeth, there are two premolars and molars each on the left and right sides of the upper and lower jaws, for a total of 16 molar teeth (20 when counting the wisdom teeth).

With the growth of the body, the jaw grows bigger. As the jaw grows, children's teeth, or "milk teeth" are replaced by adult teeth known as "permanent teeth". When all of a child's permanent teeth have emerged, the chewing force becomes stronger, enabling them to eat various types of food easily. Permanent teeth are very important teeth, which a person uses for the entire course of their life.

Human teeth only transition from milk teeth to permanent teeth once. All of the milk teeth emerge at an age from two to three; however, since the jaw bone continues to grow, the sizes of the teeth and the jaw gradually become imbalanced. When the cells that break down the tissue appear around the roots of the milk teeth, the roots gradually dissolve and are absorbed, becoming shorter in height. When the permanent teeth become large enough, the milk teeth naturally start to fall out. By about age 12, all of the milk teeth are replaced by 28 permanent teeth.

Are these statements true or false?

The tooth is supported by the tissue consisting of the blood.

Ответ:

Задание №3.

Прочитайте текст и установите соответствие приведенного утверждения содержанию текста.

Read the text.

Structure and the Functions of the Teeth

A tooth that is visible in your mouth is only a part of the entire tooth. The root of the tooth is completely buried into the jaw bone.

A tooth consists of enamel, dentin, cementum and pulp tissue. The portion of a tooth exposed to the oral cavity is known as the dental crown, and the portion below the dental crown is known as the tooth root. The dental pulp cavity exists in the center of the tooth, through which the dental pulp, called the nerve, runs. In order to receive an impact on the tooth and to absorb and alleviate the force on the jaw, the surface of the tooth root area (cementum) and the alveolar bone are connected by a fibrous tissue called the periodontal ligament. The tooth is supported by the tissue consisting of the alveolar bone, gums and the periodontal ligament.

- Enamel: The hardest bodily tissue covering the surface of the dental crown. It is as hard as crystal (7 on the Mohs scale of mineral hardness).
- Dentin: The tissue that forms the tooth from the dental crown to the tooth root, situated inside the enamel and cementum. It is softer than the enamel. A small tube filled with tissue fluid, called the dentinal tubule, runs inside the dentin.
- Cementum: The tissue covering the surface of the tooth root. It connects the alveolar bone with the tooth by the periodontal ligament. Its hardness is similar to bone.
- Dental pulp: The tissue is called the nerve. Blood vessels and the lymph vessels, as well as nerve fibers, are located in the dental pulp, supplying nutrients to the dentin.
- Periodontal ligament: Tissue consisting mainly of the fibrous tissue that connects the tooth root and the alveolar bone. It prevents force applied to the tooth from being directly imposed on the alveolar bone while chewing food.
- Alveolar bone: The jaw bone supporting the tooth; the tooth is planted into this bone. When a large part of the alveolar bone is destroyed by periodontal disease or other causes, the tooth becomes loose.
- Gingiva: The soft tissue covering the alveolar bone. It is generally called "gum".
- Gingival sulcus: The small space between the tooth and the gums. Even people with healthy teeth usually have a depth of 1 to 2 mm in this space. When this space deepens due to inflammation, it is called the periodontal pocket or gingival pocket.

The canines are the third permanent teeth from the center of the mouth to the back in the upper and lower jaws. There are a total of 4 canines, two in the upper jaw and two in the lower. They are used to tear food.

The teeth located behind the canines grind food like a mill. In milk teeth, there are two molars, each on the left and right sides of the upper and lower jaws. In

permanent teeth, there are two premolars and molars each on the left and right sides of the upper and lower jaws, for a total of 16 molar teeth (20 when counting the wisdom teeth).

With the growth of the body, the jaw grows bigger. As the jaw grows, children's teeth, or "milk teeth" are replaced by adult teeth known as "permanent teeth". When all of a child's permanent teeth have emerged, the chewing force becomes stronger, enabling them to eat various types of food easily. Permanent teeth are very important teeth, which a person uses for the entire course of their life.

Human teeth only transition from milk teeth to permanent teeth once. All of the milk teeth emerge at an age from two to three; however, since the jaw bone continues to grow, the sizes of the teeth and the jaw gradually become imbalanced. When the cells that break down the tissue appear around the roots of the milk teeth, the roots gradually dissolve and are absorbed, becoming shorter in height. When the permanent teeth become large enough, the milk teeth naturally start to fall out. By about age 12, all of the milk teeth are replaced by 28 permanent teeth.

Are these statements true or false?

Cementum is the tissue covering the surface of the tooth root.

Ответ:

Задание №4.

Прочитайте текст и установите соответствие приведенного утверждения содержанию текста.

Read the text.

Structure and the Functions of the Teeth

A tooth that is visible in your mouth is only a part of the entire tooth. The root of the tooth is completely buried into the jaw bone.

A tooth consists of enamel, dentin, cementum and pulp tissue. The portion of a tooth exposed to the oral cavity is known as the dental crown, and the portion below the dental crown is known as the tooth root. The dental pulp cavity exists in the center of the tooth, through which the dental pulp, called the nerve, runs. In order to receive an impact on the tooth and to absorb and alleviate the force on the jaw, the surface of the tooth root area (cementum) and the alveolar bone are connected by a fibrous tissue called the periodontal ligament. The tooth is supported by the tissue consisting of the alveolar bone, gums and the periodontal ligament.

- Enamel: The hardest bodily tissue covering the surface of the dental crown. It is as hard as crystal (7 on the Mohs scale of mineral hardness).
- Dentin: The tissue that forms the tooth from the dental crown to the tooth root, situated inside the enamel and cementum. It is softer than the enamel. A small tube filled with tissue fluid, called the dentinal tubule, runs inside the dentin.
- Cementum: The tissue covering the surface of the tooth root. It connects the alveolar bone with the tooth by the periodontal ligament. Its hardness is similar to bone.

- Dental pulp: The tissue is called the nerve. Blood vessels and the lymph vessels, as well as nerve fibers, are located in the dental pulp, supplying nutrients to the dentin.
- Periodontal ligament: Tissue consisting mainly of the fibrous tissue that connects the tooth root and the alveolar bone. It prevents force applied to the tooth from being directly imposed on the alveolar bone while chewing food.
- Alveolar bone: The jaw bone supporting the tooth; the tooth is planted into this bone. When a large part of the alveolar bone is destroyed by periodontal disease or other causes, the tooth becomes loose.
- Gingiva: The soft tissue covering the alveolar bone. It is generally called "gum".
- Gingival sulcus: The small space between the tooth and the gums. Even people with healthy teeth usually have a depth of 1 to 2 mm in this space. When this space deepens due to inflammation, it is called the periodontal pocket or gingival pocket.

The canines are the third permanent teeth from the center of the mouth to the back in the upper and lower jaws. There are a total of 4 canines, two in the upper jaw and two in the lower. They are used to tear food.

The teeth located behind the canines grind food like a mill. In milk teeth, there are two molars, each on the left and right sides of the upper and lower jaws. In permanent teeth, there are two premolars and molars each on the left and right sides of the upper and lower jaws, for a total of 16 molar teeth (20 when counting the wisdom teeth).

With the growth of the body, the jaw grows bigger. As the jaw grows, children's teeth, or "milk teeth" are replaced by adult teeth known as "permanent teeth". When all of a child's permanent teeth have emerged, the chewing force becomes stronger, enabling them to eat various types of food easily. Permanent teeth are very important teeth, which a person uses for the entire course of their life.

Human teeth only transition from milk teeth to permanent teeth once. All of the milk teeth emerge at an age from two to three; however, since the jaw bone continues to grow, the sizes of the teeth and the jaw gradually become imbalanced. When the cells that break down the tissue appear around the roots of the milk teeth, the roots gradually dissolve and are absorbed, becoming shorter in height. When the permanent teeth become large enough, the milk teeth naturally start to fall out. By about age 12, all of the milk teeth are replaced by 28 permanent teeth.

Are these statements true or false?

When a large part of the alveolar bone is destroyed by periodontal disease or other causes, the tooth becomes stronger.

Ответ:

Задание №5

Прочитайте текст и установите соответствие.

Укажите соответствие термина на английском языке его значению на русском языке:

К каждой позиции, данной в левом столбце, подберите соответствующую позицию из правого столбца:

Find the English equivalents to the following words and phrases:

Термин на английском языке		Значение термина на русском языке		
1	the tooth root	a	десневая борозда	
2	pulp tissue	б	молочные зубы	
3	Enamel	В	постоянные зубы	
4	Gingival sulcus	Γ	корень зуба	
5	milk teeth	Д	ткань пульпы	
6	Permanent teeth	e	эмаль	

Запиши выбранные буквы под соответствующими цифрами

1	2	3	4	5	6

Задание №6

Прочитайте текст, выберите один правильный ответ.

Chanca	tha	correct	answer
CHOOSE		correct	answei

A tooth	of enamel,	dentin,	cementum	and	pulp	tissue.
---------	------------	---------	----------	-----	------	---------

- 1. consists
- 2. is consisting
- 3. consisted

Ответ:

Задание №7

Прочитайте текст, выберите один правильный ответ.

Choose the correct answer.

It is __ hard __ crystal.

- 1. as as
- 2. soas
- 3. asso

Ответ:

Задание №8

Прочитайте текст, выберите один правильный ответ.

Choose the correct answer.

The tooth is supported	_ the tissue consisting of the alveolar bon	e, gums and
the periodontal ligament.		

- 1. by
- 2. on
- 3. in

Ответ:

Задание №9

Прочитайте текст, выберите один правильный ответ.

Choose the correct answer.

The tissue ___ called the nerve.

- 1. is
- 2. was
- 3. has been

Ответ:

Задание №10

Прочитайте текст, выберите один правильный ответ.

Choose the correct answer.

With the growth of the body, the jaw grows _____

- 1.bigger
- 2.big
- 3.the biggest

Ответ:

Ключи к тестовым заданиям по дисциплине (модулю) Б1.О.14 «Иностранный язык»

Задание №1.

Ответ:

(True)

Задание №2.

Ответ:

(False)

Задание №3.

Ответ:

(True)

Задание №4.

Ответ:

(False)

Задание №5

Ответ:

1	2	3	4	5	6
Γ	Д	e	a	б	В

Задание №6

Ответ: а

Задание №7

Ответ: а

Задание №8

Ответ: а

Задание №9

Ответ: а

Задание №10

Ответ: а